




243 WIN. PTS ^{V330782} 95 GRS

The PTS bullet was designed and manufactured by Hornady, the largest independent producer of high quality hunting bullets in the world. PTS bullets contain a premium polymer tip for rapid expansion and energy transfer. Its optimum shape enables the bullet to achieve higher speed and trajectory stability.



PROPERTIES

| | | | |
|------------------------|--------------------|---------|-------|
| BULLET | TYPE | PTS | |
| | WEIGHT | grs | 95 |
| | | g | 6.10 |
| | SECTIONAL DENSITY | lb/in² | 0.230 |
| | MATERIAL OF JACKET | N/A | |
| NUMBER | | 24532 | |
| BALLISTIC COEFFICIENT | G1 | 0.373 | |
| | G7 | 0.186 | |
| MRD | m | 179 | |
| CARTRIDGE | WEIGHT | g | 20.1 |
| | LENGTH | mm | 67.00 |
| CASINGS | | N/A | |
| POWER FACTOR ESTIMATED | | kgf-fps | 275.9 |
| +P AMMUNITION | | No | |
| TEST BARREL LENGTH | | mm | 600 |
| SUGGESTED USE | | N/A | |
| FEATURES | | N/A | |
| PACKAGING | | | |
| BOXES PER CASE | | 25 | |
| WEIGHT PER CASE | kg | 11.6 | |
| | lb | 25.5 | |

BALLISTICS

| | | | | | | |
|----------------------|-----|--------|-------|-------|-------|-------|
| DISTANCE | m | MUZZLE | 100 | 200 | 300 | 400 |
| VELOCITY | m/s | 885 | 801 | 721 | 647 | 576 |
| ENERGY | J | 2,389 | 1,957 | 1,587 | 1,275 | 1,013 |
| DISTANCE | m | 50 | 100 | 200 | 300 | 400 |
| POINTS OF IMPACT | cm | -0.8 | 0.0 | -10.4 | -39.6 | -92.5 |
| POINTS OF IMPACT MRD | cm | 1.1 | 3.8 | -2.8 | -28.4 | -77.5 |

