


9 mm LUGER / 9 mm PARA / 9 × 19 SP ^{124 GRS} SB9S



Semi-jacketed Soft Point bullet. A lead core with a precisely engineered jacket results from its controlled expansion and high weight retention.



PROPERTIES

| | | |
|-------------------------------|--------------------|--|
| BULLET | TYPE | SP |
| | WEIGHT | grs 124 |
| | DIAMETER | in 0.355 |
| | SECTIONAL DENSITY | lb/in ² 0.141 |
| | MATERIAL OF JACKET | CuZn 10 |
| BALLISTIC COEFFICIENT | G1 | 0.196 |
| PRIMER | TYPE | Boxer |
| | STYLE | Large Pistol Primer |
| CARTRIDGE | LENGTH | in 1.118 |
| CASINGS | | Factory Brass |
| POWER FACTOR ESTIMATED | kgr-fps | 144,5 |
| +P AMMUNITION | | No |
| TEST BARREL LENGTH | in | 6 |
| SUGGESTED USE | | Range, Match/Competition |
| FEATURES | | Reliable Functioning, Accurate, Controlled Expansion |
| PACKAGING | | |
| BOXES PER CASE | | 20 |
| WEIGHT PER CASE | lb | 29 |

BALLISTICS

| | | | | | |
|-------------------------|-------|--------|-------|-------|-------|
| DISTANCE | y | MUZZLE | 25 | 50 | 100 |
| VELOCITY | fps | 1,165 | 1,118 | 1,078 | 1,013 |
| ENERGY | ft-lb | 373 | 344 | 320 | 283 |
| DISTANCE | y | 12.5 | 25 | 50 | 100 |
| POINTS OF IMPACT | in | -0.1 | 0.0 | -1.3 | -10.8 |

