

6,5 × 55 SE

FMJBT

140 GRS
SB6555C



PROPERTIES

BULLET	TYPE	FMJBT
	WEIGHT	grs 140
	DIAMETER	in 0.264
	SECTIONAL DENSITY	lb/in ² 0.287
	MATERIAL OF JACKET	CuZn 10
BALLISTIC COEFFICIENT	G1	0.491
	G7	0.247
CARTRIDGE	LENGTH	in 3.071
POWER FACTOR ESTIMATED	kgr-fps	361.5
TEST BARREL LENGTH	in	23½
SUGGESTED USE		Range, Match/Competition
FEATURES		Reliable Functioning, Non-expanding, No Barrel Leading

PACKAGING

BOXES PER CASE	20
WEIGHT PER CASE	lb 24,5

BALLISTICS

DISTANCE	y	MUZZLE	100	200	300	400
VELOCITY	fps	2,582	2,402	2,230	2,066	1,908
ENERGY	ft-lb	2,072	1,794	1,546	1,326	1,131
DISTANCE	y	50	100	200	300	400
POINTS OF IMPACT	in	-0.3	0.0	-4.0	-15.1	-34.3

