
# 9,3 × 72 R SP

193 GRS
SB9372RA





Semi-Jacketed Soft Point bullet. A lead core with a precisely engineered jacket results from its controlled expansion and high weight retention.

## PROPERTIES

| | | | |
|---|---|---|---|
| **BULLET** | TYPE | | SP |
| | WEIGHT | grs | 193 |
| | DIAMETER | in | 0.366 |
| | SECTIONAL DENSITY | lb/in² | 0.206 |
| | MATERIAL OF JACKET | | CuZn 10 |
| **BALLISTIC COEFFICIENT** | | G1 | 0.207 |
| | | G7 | 0.106 |
| **CARTRIDGE** | LENGTH | in | 3.386 |
| **POWER FACTOR ESTIMATED** | | kgr·fps | 387.0 |
| **TEST BARREL LENGTH** | | in | 23½ |
| **SUGGESTED USE** | | | Hunting |
| **FEATURES** | | | Reliable Functioning, Rapid-Controlled Expansion, Accurate |

## PACKAGING

| | | |
|---|---|---|
| **BOXES PER CASE** | | 20 |
| **WEIGHT PER CASE** | lb | 25.5 |

## BALLISTICS

| DISTANCE | y | MUZZLE | 100 | 200 | 300 | 400 |
|---|---|---|---|---|---|---|
| VELOCITY | fps | 2,100 | 1,738 | 1,408 | 1,115 | 991 |
| ENERGY | ft·lb | 1,889 | 1,295 | 849 | 533 | 421 |

| DISTANCE | y | 50 | 100 | 200 | 300 | 400 |
|---|---|---|---|---|---|---|
| POINTS OF IMPACT | in | 0.2 | 0.0 | -9.7 | -37.3 | -92.4 |

