


# 6,5 CREEDMOOR FMJBT

V343162  
140 GRS



Full Metal Jacket bullet. Standard lead core with a metallic jacket. Best for training and target shooting applications.



## PROPERTIES

<b>BULLET</b>	TYPE		FMJBT
	WEIGHT	grs	140
		g	9.10
	SECTIONAL DENSITY	lb/in <sup>2</sup>	0.287
	MATERIAL OF JACKET		CuZn 10
	NUMBER		2905
<b>BALLISTIC COEFFICIENT</b>		G1	0.491
		G7	0.247
<b>MRD</b>		m	168
<b>CARTRIDGE</b>	WEIGHT	g	23.3
	LENGTH	mm	69.90
<b>CASINGS</b>			N/A
<b>POWER FACTOR ESTIMATED</b>		kg-fps	372.0
<b>+P AMMUNITION</b>			No
<b>TEST BARREL LENGTH</b>		mm	550
<b>SUGGESTED USE</b>			Range, Match/Competition
<b>FEATURES</b>			Reliable Functioning, Non-expanding, No Barrel Leading, Accurate
<b>PACKAGING</b>			
<b>BOXES PER CASE</b>			8
<b>WEIGHT PER CASE</b>		kg	11.3
		lb	24.9

## BALLISTICS

<b>DISTANCE</b>	m	MUZZLE	100	200	300	400
<b>VELOCITY</b>	m/s	810	749	691	636	583
<b>ENERGY</b>	J	2,985	2,554	2,174	1,840	1,547
<b>DISTANCE</b>	m	50	100	200	300	400
<b>POINTS OF IMPACT</b>	cm	-0.5	0.0	-12.5	-45.6	-103.0
<b>POINTS OF IMPACT MRD</b>	cm	1.4	3.8	-4.9	-34.2	-87.8